

## 兔抗 CSNK1A1(Phospho-Tyr294) 多克隆抗 体

- 中文名称: 兔抗 CSNK1A1(Phospho-Tyr294) 多克隆抗体
- 英文名称: Anti-CSNK1A1(Phospho-Tyr294) rabbit polyclonal antibody
- 别 名: CK1; CK1a; CKIa; HLCDGP1; PRO2975; HEL-S-77p
- 相关类别: 一抗
- 储存: 冷冻(-20℃) 避光
- 宿 主: Rabbit
- 抗 原: CSNK1A1(Phospho-Tyr294)
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

## 技术规格

| Background:       | Casein kinases are operationally defined by their preferen<br>tial utilization of acidic proteins such as caseins as substr<br>ates. It can phosphorylate a large number of proteins. Pa<br>rticipates in Wnt signaling. Phosphorylates CTNNB1 at 'S<br>er-45'. May play a role in segregating chromosomes duri<br>ng mitosis. |
|-------------------|--|
| Applications:     | WB, IHC  |
| Name of antibody: | CSNK1A1(Phospho-Tyr294)  |
| Immunogen:        | Peptide sequence around phosphorylation site of tyrosine 294 (Y-D-Y(p)-T-F) derived from Human CK-1 $\alpha$ .   |
| Full name:        | casein kinase 1, alpha 1   |



## 全国订货电话 4008-723-722

| Synonyms :               | CK1; CK1a; CKIa; HLCDGP1; PRO2975; HEL-S-77p |
|--------------------------|--|
| SwissProt:               | P48729/Q8N752                                |
| IHC positive control:    | Human brain tissue                           |
| IHC Recommend dilution:  | 50-100                                       |
| WB Predicted band size:  | 39 kDa                                       |
| WB Positive control:     | HT29 cells lysates treated with heat shock   |
| WB Recommended dilution: | 500-1000                                     |





## 全国订货电话 4008-723-722