

兔抗 MOK 多克隆抗体

中文名称:	兔抗 MOK 多克隆抗体
英文名称:	Anti-MOK rabbit polyclonal antibody
别名:	RAGE; RAGE1; STK30; RAGE-1
储存:	冷冻 (-20℃) 避光
抗原:	MOK
宿主:	Rabbit
反应种属:	Human
相关类别:	一抗
标记物:	Unconjugate
克隆类型:	Unconjugate

技术规格

Background:	This gene belongs to the MAP kinase superfamily. The gene was found to be regulated by caudal type transcription factor 2 (Cdx2) protein. The encoded protein, which is localized to epithelial cells in the intestinal crypt, may play a role in growth arrest and differentiation of cells of upper crypt and lower villus regions. Multiple alternatively spliced transcript variants encoding different isoforms have been observed for this gene.
Applications:	WB, IHC
Name of antibody:	MOK
Immunogen:	Synthesized peptide derived from internal of human MOK.
Full name:	MOK protein kinase
Synonyms :	RAGE; RAGE1; STK30; RAGE-1
SwissProt:	Q9UQ07

IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	48 kDa
WB Positive control:	HepG2 cells, COLO205 cells and 293 cells lysates
WB Recommended dilution:	500-3000



